

MONTEREY
Cancer Incidence by Sex, 1993 - 1997
Expected and Observed Case Counts, with Standardized Incidence Ratios

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<u>Bladder, Urinary</u>				<u>Melanoma of Skin</u>			
Male	0.76	0	NC*	Male	0.43	0	NC*
Female	0.22	0	NC*	Female	0.28	1	NC*
Total	0.98	0	NC*	Total	0.71	1	NC*
<u>Brain and Other Central Nervous System</u>				<u>Multiple Myeloma</u>			
Male	0.22	0	NC*	Male	0.14	0	NC*
Female	0.17	0	NC*	Female	0.10	0	NC*
Total	0.39	0	NC*	Total	0.24	0	NC*
<u>Breast</u>				<u>Non-Hodgkin's Lymphoma</u>			
Male	0.05	0	NC*	Male	0.56	1	NC*
Female	3.79	3	NC*	Female	0.41	0	NC*
Total	3.83	3	NC*	Total	0.98	1	NC*
<u>Cervix Uteri</u>				<u>Oral Cavity and Pharynx</u>			
Female	0.23	0	NC*	Male	0.46	0	NC*
				Female	0.19	1	NC*
				Total	0.66	1	NC*
<u>Colon / Rectum</u>				<u>Ovary</u>			
Male	1.90	2	NC*	Female	0.45	1	NC*
Female	1.41	1	NC*				
Total	3.31	3	NC*				
<u>Esophagus</u>				<u>Pancreas</u>			
Male	0.26	1	NC*	Male	0.28	0	NC*
Female	0.07	0	NC*	Female	0.24	1	NC*
Total	0.34	1	NC*	Total	0.52	1	NC*
<u>Hodgkin's Disease</u>				<u>Prostate</u>			
Male	0.10	0	NC*	Male	4.48	5	112
Female	0.06	0	NC*				
Total	0.16	0	NC*				
<u>Kidney and Renal Pelvis</u>				<u>Stomach</u>			
Male	0.42	0	NC*	Male	0.32	0	NC*
Female	0.21	0	NC*	Female	0.15	0	NC*
Total	0.63	0	NC*	Total	0.47	0	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	0.25	0	NC*	Male	0.14	1	NC*

Female	0.07	0	NC*				
Total	0.32	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	0.31	1	NC*	Male	0.08	0	NC*
Female	0.19	1	NC*	Female	0.17	0	NC*
Total	0.50	2	NC*	Total	0.25	0	NC*
<u>Liver and Intrahepatic Bile Ducts</u>				<u>Uteri, Corpus and Uterus, NOS</u>			
Male	0.14	0	NC*				
Female	0.05	0	NC*	Female	0.75	0	NC*
Total	0.19	0	NC*				
<u>Lung and Bronchus</u>				<u>All Sites / Types</u>			
Male	2.36	1	NC*	Male	14.66	13	89
Female	1.52	0	NC*	Female	11.54	9	78
Total	3.87	1	NC*	Total	26.20	22	84

Exp = expected case count, based on the Massachusetts average age-specific incidence rates for this cancer

Obs = observed case count

SIR = standardized incidence ratio [(**Obs** / **Exp**) X 100]

* = **SIR** and statistical significance not calculated when **Obs** < 5

+ indicates number of observed cases is statistically significantly higher than the expected number of cases

- indicates number of observed cases is statistically significantly lower than the expected number of cases

indicates statistical significance at the $p \leq 0.05$ level

~ indicates statistical significance at the $p \leq 0.01$ level, as well as at the $p \leq 0.05$ level

^ indicates statistical significance at the $p \leq 0.001$ level, as well as at the $p \leq 0.05$ and $p \leq 0.01$ levels